



DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED

DECIMAL: .X = $\pm$ .1" .XX = $\pm$ .01" .XXX = $\pm$ .005" .XXXX = $\pm$ .0005"	HOLE DIAMETERS: .XX = $\pm$ .005" .XXX = $\pm$ .003" / -.002"
ANGLES $\angle$ MACHINED $\pm$ 0° 30"	
PERPEND. $\perp$ : $\pm$ .003 / IN	
FLATNESS $\square$ : $\pm$ .005 / IN	
SURFACES: RMS 32 OR BETTER	

THIRD ANGLE PROJECTION

**CAD MAINTAINED**  
 CHANGES SHALL BE INCORPORATED BY DESIGN ACTIVITY

APPROVAL	DATE
DFT:	
CHK:	
ENG:	

UNLESS OTHERWISE SPECIFIED  
 ALL DIMENSIONS ARE IN INCHES  
 DIMENSIONS IN [ ] ARE MILLIMETERS

DO NOT SCALE DRAWING

**COHERENT** 27650 SW 95th AVENUE  
 WILSONVILLE, OR 97070  
 www.coherent.com

PROPRIETARY NOTICE:  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF COHERENT, INC. IT IS NOT TO BE USED, REPRODUCED, OR DISCLOSED IN WHOLE OR IN PART TO ANYONE WITHOUT THE WRITTEN PERMISSION OF COHERENT, INC.

TITLE **POWERLINE, SEPARATE DRIVER**

SIZE <b>B</b>	DWG. NO. 320-1859	REV AA
WT:	SCALE:1:4	SHEET 1 OF 1